

PRICE LIST

MULTIPLIER (x)

WE HAVE THE LARGEST SELECTION OF
CPVC TRANSITION FITTINGS
IN THE INDUSTRY.

CPVC TRANSITION FITTINGS (ICTF):




CPVC TRANSITION FITTINGS

LF BRASS x PVC | STAINLESS STEEL x CPVC | PEX F1807 x CPVC | PEX F1960 x CPVC

PRICE SHEET: H06.CPVCTF.1221

EFFECTIVE: **12.20.21**

 **HYDRAPRO BLUE**



CPVC TRANSITION FITTINGS

- Lead-Free
- Max working pressure 100 PSI @ 180° F
- Manufactured to ASTM Standard D2846



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
FEMALE ADAPTER CPVC x LEAD-FREE BRASS					
H48100	STD4703BTLF12	1/2" CPVC X 1/2" FIP	25	250	\$ 4.93
H48101	STD4703BTLF34	3/4" CPVC X 3/4" FIP	25	250	\$ 6.54
H48102	STD4703BTLF1	1" CPVC X 1" FIP	25	150	\$ 12.54
H48103	STD4703BTLF114	1 1/4" CPVC X 1 1/4" FIP	10	80	\$ 23.95
H48104	STD4703BTLF112	1 1/2" CPVC X 1 1/2" FIP	10	60	\$ 30.37
H48105	STD4703BTLF2	2" CPVC X 2" FIP	5	20	\$ 51.40



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
MALE ADAPTER CPVC x LEAD-FREE BRASS					
H48200	STD4704BTLF12	1/2" CPVC X 1/2" MIP	25	250	\$ 4.93
H48201	STD4704BTLF34	3/4" CPVC X 3/4" MIP	25	250	\$ 7.14
H48202	STD4704BTLF1	1" CPVC X 1" MIP	25	150	\$ 12.54
H48203	STD4704BTLF114	1 1/4" CPVC X 1 1/4" MIP	10	80	\$ 27.16
H48204	STD4704BTLF112	1 1/2" CPVC X 1 1/2" MIP	10	60	\$ 35.10
H48205	STD4704BTLF2	2" CPVC X 2" MIP	5	20	\$ 51.40

* Lead Free refers to the wetted surface of pipe, fittings and fixtures in potable water systems that have a weighted average lead content ≤ 0.25% per the Safe Drinking Water Act (Sec. 1417) ammended 1-4-2011 and other equivalent state regulations.

CPVC TRANSITION FITTINGS

- Lead-Free
- Max working pressure 100 PSI @ 180° F
- Manufactured to ASTM Standard D2846



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
FEMALE DROP EAR 90° CPVC x LEAD-FREE BRASS					
H48206	STD470735BTLF12	½" CPVC X ½" FIP	25	250	\$ 10.07

*HydraPro CPVC Drop Ear 90 Elbows are designed to be used when plumbing remains stationary and fixed, usually at the termination of a water line. Shower Heads are a typical application.



Part #	Model #	Description (Size)	Carton Qty	Carton Qty	List Price
FEMALE ADAPTER CPVC x STAINLESS STEEL					
H48303	STD4703ST12	½" CPVC X ½" FIP	25	150	\$ 4.63
H48305	STD4703ST34	¾" CPVC X ¾" FIP	25	100	\$ 6.23
H48300	STD4703ST1	1" CPVC X 1" FIP	25	50	\$ 12.75
H48302	STD4703ST114	1¼" CPVC X 1¼" FIP	1	16	\$ 29.99
H48301	STD4703ST112	1½" CPVC X 1½" FIP	1	16	\$ 45.93
H48304	STD4703ST2	2" CPVC X 2" FIP	1	8	\$ 54.23



Part #	Model #	Description (Size)	Carton Qty	Carton Qty	List Price
FEMALE COUPLING CPVC x STAINLESS STEEL					
H48307	STD4703ST12C	½" CPVC X ½" FEMALE	25	150	\$ 7.26

Designed to connect CPVC to shower valves with an impact wrench.
Do not over torque!

CPVC TRANSITION FITTINGS



- Lead-Free
- Max working pressure 100 PSI @ 180° F
- Manufactured to ASTM Standard D2846



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
MALE ADAPTER CPVC x STAINLESS STEEL					
H48402	STD4704ST12	1/2" CPVC X 1/2" MIP	25	150	\$ 4.63
H48404	STD4704ST34	3/4" CPVC X 3/4" MIP	25	100	\$ 6.23
H48306	STD4704ST1	1" CPVC X 1" MIP	25	50	\$ 12.77
H48401	STD4704ST114	1 1/4" CPVC X 1 1/4" MIP	1	16	\$ 29.99
H48400	STD4704ST112	1 1/2" CPVC X 1 1/2" MIP	1	16	\$ 45.93
H48403	STD4704ST2	2" CPVC X 2" MIP	1	8	\$ 54.23



Part #	Model #	Description (Size)	Inner Carton Qty.	Master Carton Qty.	List Price
FEMALE DROP EAR 90° CPVC x STAINLESS STEEL [CPVC ELBOW & EARS]					
H48406	STD470735ST12	1/2" CPVC X 1/2" FIP	25	100	\$ 6.67

*HydraPro CPVC Drop Ear 90 Elbows are designed to be used when plumbing remains stationary and fixed, usually at the termination of a water line. Shower Heads are a typical application.



Part #	Model #	Description (Size)	Inner Carton Qty.	Master Carton Qty.	List Price
FEMALE DROP EAR 90° CPVC x STAINLESS STEEL [SS ELBOW & EARS]					
H48407	STD470735ST12SS	1/2" CPVC X 1/2" FIP	25	100	\$ 8.15

*HydraPro CPVC Drop Ear 90 Elbows are designed to be used when plumbing remains stationary and fixed, usually at the termination of a water line. Shower Heads are a typical application.

CPVC x PEX TRANSITION FITTINGS

- Manufactured to ASTM Standard F1807
- Manufactured to ASTM Standard D2846



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
PEX TRANSITION FITTING (SPIGOT CPVC x F1807 PEX)					
H48325	HPF1807CPVCST12M	1/2" Spigot CPVC x 1/2" F1807 PEX	25	150	\$ 6.23
H48326	HPF1807CPVCST34M	3/4" Spigot CPVC x 3/4" F1807 PEX	25	100	\$ 9.44
H48327	HPF1807CPVCST1M	1" Spigot CPVC x 1" F1807 PEX	25	50	\$ 16.80



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
PEX TRANSITION FITTING (SOCKET CPVC x F1807 PEX)					
H48340	HPF1807CPVCST12F	1/2" Socket CPVC x 1/2" F1807 PEX	25	150	\$ 7.20
H48341	HPF1807CPVCST34F	3/4" Socket CPVC x 3/4" F1807 PEX	25	100	\$ 8.16
H48342	HPF1807CPVCST1F	1" Socket CPVC x 1" F1807 PEX	25	50	\$ 19.10

CPVC x PEX TRANSITION FITTINGS

- Manufactured to ASTM Standard F1960
- Manufactured to ASTM Standard D2846



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
PEX TRANSITION FITTING (SPIGOT CPVC x F1960 PEX)					
H48225	HPF1960CPVCST12M	1/2" Spigot CPVC x 1/2" F1960 PEX	25	150	\$ 7.84
H48226	HPF1960CPVCST34M	3/4" Spigot CPVC x 3/4" F1960 PEX	25	100	\$ 11.20
H48227	HPF1960CPVCST1M	1" Spigot CPVC x 1" F1960 PEX	25	50	\$ 18.37



Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	List Price
PEX TRANSITION FITTING (SOCKET CPVC x F1960 PEX)					
H48240	HPF1960CPVCST12F	1/2" Socket CPVC x 1/2" F1960 PEX	25	150	\$ 7.84
H48241	HPF1960CPVCST34F	3/4" Socket CPVC x 3/4" F1960 PEX	25	100	\$ 11.04
H48242	HPF1960CPVCST1F	1" Socket CPVC x 1" F1960 PEX	25	50	\$ 21.93